



MERIDIAN[®]

990 BASIC • 990 MAX FUEL TRAILER



PARTS BOOK

This page intentionally left blank

TABLE OF CONTENTS


DESCRIPTION	PAGE
990 BASIC FUEL TRAILER	1
Trailer Assm. 990 Basic, Tandem STW	3
Tank Assembly, 990 Basic US Fuel Trailer	8
DEF Tote Pkg, 55 Gal, 12V, Self-Contained, 990 Basic	10
Hose and Nozzle Stand Pkg, 990 Basic	11
Battery Box, 990 Basic	12
Pump Pkg, 15GPM, 12V, 990 Basic	13
Pump Pkg, 25GPM, 12V, 990 Basic	14
Spare Tire Kit (Steel)	15
Spare Tire Kit (Aluminum)	15
990 MAX FUEL TRAILER	16
Fuel Trailer Caps and Gauges	16
Tank Assembly 990 US Fuel Trailer	17
Trailer Assembly 990 Universal Tandem STW	18
Fuel Trailer 990 US Version Bone White Empty	21
12 VDC Pump and 35' Hose Reel Pkg 990 US	23
40 GPM Engine/Pump and 35' Hose Reel Pkg	25
55 Gal DEF Option Assembly Fuel Trailer 990	27
DEF Tank Add-On Package (55 Gal)	28
Cowling Assembly	30
Utility Box Assembly 990, Bone White	32
Welder-Generator-Compressor Option	39
Generator-Compressor Option	40
Air and Electrical Dual Reel Kit Option	41
Spare Tire Kit (Steel)	42
Spare Tire Kit (Aluminum)	42
Spare Tire Kit (Steel), Post Mount	43
Spare Tire Kit (Aluminum), Post Mount	44
Warranty Statement	



Meridian Manufacturing Inc. continuously enhances its product offering through product improvements and new product innovations. Marketplace feedback, technological innovation, new materials and manufacturing methods, and a philosophy of continuous improvement constantly challenge the company to develop new and better ways of addressing market needs. Meridian is committed to innovation and reinvestment and as a result, the company maintains a portfolio of patents and intellectual property. For more information on our patents, see our website:

www.meridianmfg.com/patents

990 BASIC FUEL TRAILER









Table 1 - Fuel Trailer 990 Basic US Version Bone White Empty

ITEM	QTY	PART #	DESCRIPTION
1	1	44736	TRAILER ASSM. 990 BASIC, TANDEM STW
2	1	44737	TANK ASSEMBLY 990 BASIC US FUEL TRAILER
3	1	18128	HOLDER FOR MANUAL OMC-1
4	3	19307	WASHER, FLAT 1/4
5	3	19301	BOLT, HEX, 1/4-20 UNC X1
6	3	19128	Ø1/4"-20 UNC NYLON HEX NUT
7	1	17728	MERIDIAN TRAILER BLACK DECAL
8	1	17679	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 70"L
9	2	16959	DECAL MERIDIAN 25" LG BLACK
10	4	11514	1993 PLACARD - CLASS 3 FLAMMABLE LIQUID (DIESEL)
11	1	12099	DECAL 990 PASS SIDE BLACK STRIPE
12	1	12098	DECAL 990 DRIVER SIDE BLACK STRIPE
13	1	10284	990 FUEL TRAILER OPERATORS MANUAL

TRAILER ASSM. 990 BASIC, TANDEM STW




See exploded view of trailer on pages 6-7.




Parts Book: 990 Fuel Trailer


Table 2 - Trailer Assm. 990 Basic, Tandem STW



Revised 09.2025


ITEM	QTY	PART #	DESCRIPTION
1	1	14091	WIRE HARNESS 990 FUEL TRAILER FRAME - V2 ROWE (NOT SHOWN)
2	1	19275	BATTERY BREAKAWAY BA10-150
3	2	18193	7000 LBS AXLE, 89.125" HUB FACE, 9" HOLES
4	15	19779	#8-18 X 3/4" SELF DRILLING ZINC SCREW
5	2	22965	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6X 18"L
6	2	22990	FENDER, ALUM ROCK GUARD, TANDEM, 14"
7	2	19619	5" X 2" TUBE PLUG
8	2	19597	Ø1/4"-14 X 3/4" HEX WASHER HEAD SELF DRILLING SCREW
9	44 FT	17672	3/8"X1 1/2" CELLULAR RUBBER STRIPPING (44 FT)
10	2	22903	FENDER WELDMENT- TANDEM AXLE 14" W
11	3	19564	NUT, HEX, FLANGED, 3/8-16 UNC
12	16	17023	RIVET, Ø1/8" (.126" - .187" GRIP) #30 DBS, SS
13	3	19569	BOLT, HEX, FLANGED, 3/8-16 UNC X 1
14	2	19274	MUD FLAP, 10"X10"X1/4" THK, W/MERIDIAN LOGO
15	8	19629	WASHER, FLAT, #8
16	8	19112	#8-32 UNC HEX NYLON NUT
17	8	19141	SCREW #8-32 UNF X 5/8 ROUND HEAD PAN
18	1	18192	TOP WIND A-FRAME JACK (5000 LB CAP)
19	1	24688	COUPLER HITCH ASSM. 2 5/16" W/SFTY PIN
20	7	17065	GROMMET, Ø1 1/8" X . Ø3/4" ID
21	1	11554	LED STRIP LIGHT (TRUCK-LITE 15050R)
22	1	17532	DECAL, TRAILER VIN# TEMPLATE
23	1	17674	LIGHT, LICENSE PLATE, SAE L 02, KAPER II
24	2	17680	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 60"L
25	2	17673	SCREW, #10-16 X 5/8", FH SELF TAPPING, PHILLIPS
26	2	17671	GROMMET TAIL LIGHT (TRUCK-LITE 60700)
27	2	17670	TAIL LIGHT LED OVAL RED (TRUCK-LITE 6050)
28	2	17669	RED CLEARANCE LIGHT LED (TRUCK-LITE 3550)
29	2	17668	YEL CLEARANCE LIGHT LED (TRUCK-LITE 3550A)
30	2	10045	PLUG, S/T/T, 11" (TRUCK-LITE 94993-3)
31	4	18131	ST235/80R16-E TIRE, STEEL RIM ASSEMBLY
32	8	19567	BOLT, HEX, FLANGED, 5/8-11 UNC X 2 GRADE 8
33	10	10069	BOLT, HEX, 3/8-16 UNC X 3.25 STEEL, MILD
34	24	19348	WASHER, FLAT 3/8
35	12	19347	Ø3/8"-16 UNC NYLON LOCKNUT
36	2	19299	BOLT, HEX, 3/8-16 UNC X 1.25 GRADE 8
37	2	19662	Ø5/16"-18 UNC X 1/2" H.H.C.S.
38	2	19321	WASHER, FLAT 5/16
39	2	19322	WASHER, HELICAL SPRING LOCK 5/16 STEEL, MILD
40	2	19171	3/8" X 35" , GRADE 70 SAFETY CHAIN (26400# CAPACITY)
41	2	18487	WASHER, 1/2 - WIDE - TYPE A STEEL, MILD
42	1	19373	Ø1/2" LOCK WASHER
43	1	17234	NYLON LOCK NUT, 1/2"-13, GRADE 8, ZINC
44	1	10278	BOLT HEX 1/2"-13 FULL X 3" L GRADE 5 ZINC
45	1	18679	CLAMP CUSHIONED LOOP (1/2")
46	44	17255	PLUG TUBE ROUND Ø1/2" (16-20GA) (.065"-.035")
47	3	10555	PLUG RD 1-1/8" HOLE 0.016-0.125" SHEET NYLON
48	1	44738	TRAILER FRAME 990 BASIC FUEL TRAILER - BLACK
49	1	55206	VIN TAG MOUNT PLATE STAINLESS
50	8	10283	5/8" FLAT WASHER GR. 8
51	8	10285	5/8-11 UNC LOCKNUT GR. 8
---	8 FT	17019	1/2" HEAT SHRINK POLYOLEFIN BLACK 2:1 WAYTECH 22438C





See trailer parts list on pages 5.

TANK ASSEMBLY, 990 BASIC US FUEL TRAILER







Table 3 - Tank Assembly, 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	44739	TANK 990 BASIC US FUEL TRAILER - BONE WHITE
2	16	19384	WASHER, FLAT, Ø5/8" X 1-3/4" OD, ZINC
3	8	18351	NUT, HEX 5/8-11 UNC STEEL, MILD
4	8	18460	WASHER, HELICAL SPRING LOCK 5/8 STEEL, MILD
5	8	17589	BOLT, HEX, 5/8-11 UNC X 3.5 STEEL, MILD
6	2	11527	2" NPT VAPOR CONTROL CAP (60001 CIM TEK)
7	1	11212	BREATHER CAP (AS-NY-7-20-10M)
8	1	11211	KRUEGER SENTRY THERMA GAUGE (H-2-36-SSR)
9	2	11110	DECAL CAUTION TANK ROOF NOT LOAD SURFACE
10	1	16689	2" NPT SCH40 THREADED CAP STEEL GALVANIZED
11	1	18928	2" PVC PLUG
12	4	17255	PLUG TUBE ROUND Ø1/2" (16-20GA) (.065"-.035")

DEF TOTE PKG, 55 GAL, 12V, SELF-CONTAINED, 990 BASIC



3/8-16 UNC - 2B ∇ 0.688 4X
THREADED MOUNTING
ON TANK

SNAP PIN INSTALLED HERE



THIS SIDE TO BE FACING
DRIVER-SIDE OF UNIT





Table 5 - Def Pkg, 55 Gal, 12V
Self-Contained 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	55269	DEF TOTE 55 GAL 12V PUMP SELF CONTAINED
2	4	19577	BOLT, HEX, FLANGED, 3/8-16 UNC X 0.75
3	1	19693	PIN, SNAP, ZINC 1/4" X 1 3/8"


HOSE & NOZZLE STAND PKG, 990 BASIC

Table 6 - Hose and Nozzle Stand Pkg, 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	44741	HOSE & NOZZLE STAND 990 BASIC - BLACK
2	2	19063	Ø1" TUBE PLUG - 0.844 TO 0.944 I.D.
3	1	44740	HOSE & NOZZLE STAND ASSEMBLY 990 BASIC
4	4	19564	NUT, HEX, FLANGED, 3/8-16 UNC
5	4	19569	BOLT, HEX, FLANGED, 3/8-16 UNC X 1

BATTERY BOX, 990 BASIC




Table 7 - Battery Box, 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	11218	LARGE BATTERY BOX
2	1	50169	SWITCH BATTERY TOP MOUNT ASSEMBLY

PUMP PKG, 15GPM, 12V, 990 BASIC




Table 8 - Pump Pkg, 15GPM, 12V, 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	14207	15 GPM 12V FUEL PUMP
2	1	14207 ELBOW	ELBOW 3/4" NPT 90° GALV STREET - COMES WITH PUMP
3	1	14207_ SUCTION_ PIPE	1" TELESCOPING STEEL SUCTION PIPE (COMES W/14207)
4	1	14207_ NOZZLE	MANUAL NOZZLE 3/4" (COMES W/14207)
5	1	18187	ELBOW 3/4" 90DEG STREET GALV
6	1	18779	NIPPLE 3/4" X 4", GALVANIZED
7	2	10206	REDUCER, BUSHING, 1" NPT TO 3/4" NPT, STEEL, GALVANIZED
8	1	25173	FILTER HEAD 1" NPT FOR F40 FILTER (700ACCF7017)
9	1	11220	DIESEL FILTER - 40 GPM-50 PSI 10 MICRON
10	1	10233	BATTERY CLAMP MINI RED 50 AMPS WAYTEK#46R
11	1	10234	BATTERY CLAMP MINI BLK 50 AMPS WAYTEK#46B
12	1	14207_HOSE	3/4" X 12FT FUEL TRANSFER HOSE (COMES W/14207) (NOT SHOWN)

PUMP PKG, 25GPM, 12V, 990 BASIC




Table 9 - Pump Pkg, 25GPM, 12V, 990 Basic

ITEM	QTY	PART #	DESCRIPTION
1	1	11500	FUEL TRANSFER PUMP 12/24V DC 25GPM FILL-RITE NX25-DDCNB-PX
2	1	11500 ELBOW	ELBOW 1" NPT FEMALE X MALE 90 DEG GALV - COMES WITH PUMP
3	1	52177	PUMP SUCTION / DROP PIPE, 1-1/4" SCH40 X 34.5" L, 990 BASIC
4	1	17265	NIPPLE 1" X 5" SCH40 STEEL, GALVANIZED
5	1	25173	FILTER HEAD 1" NPT FOR F40 FILTER (700ACCF7017)
6	1	11220	DIESEL FILTER - 40 GPM-50 PSI 10 MICRON
7	1	18196	ELBOW, 1" NPT, FEMALE X MALE, 90 DEG, GALV
8	1	50332	HOSE, FUEL, ASSM, DISPENSING, 1" X 25' HI-TEST
9	1	21020	DIESEL NOZZLE 1" OUTLET [FILL-RITE] GREEN

SPARE TIRE KIT (STEEL)




Table 10 - Spare Tire Kit (Steel)

ITEM	QTY	PART #	DESCRIPTION
1	1	18131	ST235/80R16-E TIRE, STEEL RIM ASSEMBLY
2	1	24109	BOLT ON SPARE TIRE MOUNT
3	4	19564	NUT, HEX, FLANGED, 3/8-16 UNC
4	4	19330	BOLT, HEX, 3/8-16 UNC X 3 STEEL, MILD
5	3	18991	Ø9/16-18 UNF X 3/4" LUG NUT
6	3	18992	Ø9/16"-18 UNF X 2" H.H.C.S.

Note:

The same Spare Tire Kit is used on the 990 Basic and 990 Max.

SPARE TIRE KIT (ALUMINUM)




Table 11 - Spare Tire Kit (Aluminum)

ITEM	QTY	PART #	DESCRIPTION
1	1	17756	ST235/80R16-E TIRE, ALUMINUM RIM ASSEMBLY
2	1	24109	BOLT ON SPARE TIRE MOUNT
3	4	19564	NUT, HEX, FLANGED, 3/8-16 UNC
4	4	19330	BOLT, HEX, 3/8-16 UNC X 3 STEEL, MILD
5	3	18991	Ø9/16-18 UNF X 3/4" LUG NUT
6	3	18992	Ø9/16"-18 UNF X 2" H.H.C.S.

990 MAX FUEL TRAILER

FUEL TRAILER CAPS AND GAUGES




Table 12 - Fuel Trailer Caps and Gauges

ITEM	QTY	PART #	DESCRIPTION
1	1	11527	2" NPT VAPOR CONTROL CAP (60001 CIM TEK)
2	1	11212	BREATHER CAP (AS-NY-7-20-10M)
3	1	11211	KRUEGER SENTRY THERMA GAUGE (H-2-36-SSR)

TANK ASSEMBLY 990 US FUEL TRAILER





Table 13 - Tank Assembly, 990 US Fuel Trailer

ITEM	QTY	PART #	DESCRIPTION
1	1	32431BW	TANK WELDMENT 990 US STANDARD
2	16	19384	Ø5/8" FLAT WASHER
3	8	19382	Ø5/8"-11 UNC HEX NUT
4	8	18460	WASHER, HELICAL SPRING LOCK 5/8 STEEL, MILD
5	8	17589	BOLT, HEX, 5/8-11 UNC X 3.5 STEEL, MILD
6	1	11527	2" NPT VAPOR CONTROL CAP (60001 CIM TEK)
7	1	11224	2" BRASS BALL VALVE
8	1	11212	BREATHER CAP (AS-NY-7-20-10M)
9	1	11211	KRUEGER SENTRY THERMA GAUGE (H-2-36-SSR)
10	2	11110	DECAL CAUTION TANK ROOF NOT LOAD SURFACE
11	1	10552	FITTING, HOSE BARB, 2" X 2" NPT, STEEL ZINC

TRAILER ASSEMBLY 990 UNIVERSAL TANDEM STW







Table 14 - Trailer Assembly 990 Universal Tandem STW

ITEM	QTY	PART #	DESCRIPTION
1	1	32038	FRAME WELDMENT- 990TC FUEL TRAILER
2	1	19275	BATTERY BREAKAWAY BA10-150
3	2	18193	7000 LBS AXLE, 89.125" HUB FACE, 9" HOLES
4	13	19779	#8-18 X 3/4" SELF DRILLING ZINC SCREW
5	2	22965	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6X 18"L
6	2	22990	FENDER, ALUM ROCK GUARD, TANDEM, 14"
7	2	19619	5" X 2" TUBE PLUG
8	2	19597	Ø1/4"-14 X 3/4" HEX WASHER HEAD SELF DRILLING SCREW
9	60' 6"	17672	3/8"X1 1/2" CELLULAR RUBBER STRIPPING (60' 6")
10	48 IN	14062	NEOPRENE EDGING
11	2	22903	FENDER WELDMENT- TANDEM AXLE 14" W
12	3	19564	NUT, HEX, FLANGED, 3/8-16 UNC
13	16	17023	RIVET, Ø1/8" (.126" - .187" GRIP) #30 DBS, SS
14	3	19569	BOLT, HEX, FLANGED, 3/8-16 UNC X 1
15	2	19274	MUD FLAP, 10"X10"X1/4" THK, W/MERIDIAN LOGO
16	8	19629	WASHER, FLAT, #8
17	8	19112	#8-32 UNC HEX NYLON NUT
18	8	19141	SCREW #8-32 UNF X 5/8 ROUND HEAD PAN
19	1	18192	TOP WIND A-FRAME JACK (5000 LB CAP)
20	1	24688	COUPLER HITCH ASSM. 2 5/16" W/SFTY PIN
21	7	17065	GROMMET, Ø1 1/8" X . Ø3/4" ID
22	1	11554	LED STRIP LIGHT (TRUCK-LITE 15050R)
23	1	17532	DECAL, TRAILER VIN# TEMPLATE
24	1	17674	LIGHT, LICENSE PLATE, SAE L 02, KAPER II
25	2	17680	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 60"L
26	2	17673	SCREW, #10-16 X 5/8", FH SELF TAPPING, PHILLIPS
27	2	17671	GROMMET TAIL LIGHT (TRUCK-LITE 60700)
28	2	17670	TAIL LIGHT LED OVAL RED (TRUCK-LITE 6050)
29	2	17669	RED CLEARANCE LIGHT LED (TRUCK-LITE 3550)
30	2	17668	YEL CLEARANCE LIGHT LED (TRUCK-LITE 3550A)
31	2	10045	PLUG, S/T/T, 11" (TRUCK-LITE 94993-3)
32	4	18131	ST235/80R16-E TIRE, STEEL RIM ASSEMBLY
33	8	19567	BOLT, HEX, FLANGED, 5/8-11 UNC X 2 GRADE 8
34	8	17787	WASHER, FLAT 5/8
35	8	18460	WASHER, HELICAL SPRING LOCK 5/8 STEEL, MILD
36	8	18489	NUT, HEX, HEAVY 5/8 - 11
37	10	10069	BOLT, HEX, 3/8-16 UNC X 3.25 STEEL, MILD
38	24	19348	WASHER, FLAT 3/8
39	12	19347	Ø3/8"-16 UNC NYLON LOCKNUT
40	2	19299	BOLT, HEX, 3/8-16 UNC X 1.25 GRADE 8
41	2	19662	Ø5/16"-18 UNC X 1/2" H.H.C.S.
42	2	19321	WASHER, FLAT 5/16
43	2	19322	WASHER, HELICAL SPRING LOCK 5/16 STEEL, MILD
44	2	19171	3/8" X 35" , GRADE 70 SAFETY CHAIN (26400# CAPACITY)
45	2	18487	WASHER, 1/2 - WIDE - TYPE A STEEL, MILD
46	1	19373	Ø1/2" LOCK WASHER
47	1	17234	NYLON LOCK NUT, 1/2"-13, GRADE 8, ZINC
48	1	10278	BOLT HEX 1/2"-13 FULL X 3" L GRADE 5 ZINC
49	1	18679	CLAMP CUSHIONED LOOP (1/2")
50	44	17255	PLUG TUBE ROUND Ø1/2" (16-20GA) (.065"-.035")
51	3	10555	PLUG RD 1-1/8" HOLE 0.016-0.125" SHEET NYLON
52	8	17019	1/2" HEAT SHRINK POLYOLEFIN BLACK 2:1 WAYTECH 22438C

FUEL TRAILER 990 US VERSION BONE WHITE EMPTY






Table 15 - Fuel Trailer 990 US Version Bone White Empty

ITEM	QTY	PART #	DESCRIPTION
1	1	30088	TRAILER ASSM. 990 UNIVERSAL TANDEM STW
2	1	32437BW	COWLING ASSEMBLY, 990 FUEL TRAILERS
3	1	42616BW	TANK ASSEMBLY 990 US FUEL TRAILER
7	1	17728	MERIDIAN TRAILER BLACK DECAL
8	4	11514	1993 PLACARD - CLASS 3 FLAMMABLE LIQUID (DIESEL)
9	1	17679	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 70"L
10	2	17676	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 12"L
11	1	14091	WIRE HARNESS 990 FUEL TRAILER - V2 ROWE (NOT SHOWN)
12	2	16959	DECAL MERIDIAN 25" LG BLACK
13	1	12098	DECAL 990 DRIVER SIDE BLACK STRIPE
14	1	12099	DECAL 990 PASS SIDE BLACK STRIPE

12 VDC PUMP AND 35' HOSE REEL PKG 990 US




Table 16 - 12 VDC Pump and 35' Hose Reel Pkg 990 US

ITEM	QTY	PART #	DESCRIPTION
1	2	11513	CLAMP T-BOLT 1.375"-1.5625" KURIYAMA TBC-SSC039
2	1	11500	FUEL TRANSFER PUMP 12/24V DC 25GPM FILL-RITE NX25-DDCNB-PX
3	1	32439	COUPLER WELDMENT - 12V DC DIESEL PUMP MOUNT
4	2	19581	BOLT, HEX, FLANGED, 5/16-18 UNC X 1
5	1	11220	DIESEL FILTER - 40 GPM-50 PSI 10 MICRON
6	1	23913	FILTER HEAD MOUNT [50 FT HOSE REEL]
7	1	25173	FILTER HEAD 1" NPT FOR F40 FILTER (700ACCF7017)
8	1	21020	DIESEL NOZZLE 1" OUTLET [FILL-RITE] GREEN
9	1	17518	HOSE, DIESEL, 1" ID, PUMA (12V PMP TO FILTER)
10	2	19322	WASHER, HELICAL SPRING LOCK 5/16 STEEL, MILD
11	1	25178	DIESEL HOSE REEL MOUNT 990
12	1	11205	DIESEL HOSE REEL 35' [COX REEL]
13	4	19127	Ø1/2"-13 UNC HEX NYLON LOCKNUT
14	8	19372	WASHER, FLAT 1/2
15	6	19310	BOLT, HEX, 5/16-18 UNC X 1 STEEL, MILD
16	6	19586	Ø5/16"-18 UNC NYLON LOCK NUT
17	6	19321	WASHER, FLAT 5/16
18	2	17222	HOSE BARB, 1" HOSE ID X 1" NPT MALE, ZINC
20	2	11521	CLAMP T-BOLT 2.375"-2.5625" KURIYAMA TBC-SS063
21	1	10552	FITTING, HOSE BARB, 2" X 2" NPT, STEEL ZINC
22	1	10554	ELBOW STREET 2" NPT 90 DEG FEMALE X MALE STEEL
19	4	10411	BOLT, HEX, 1/2-13 UNC X 1.75 STEEL, MILD
23	1	40656	12V DIESEL PUMP MOUNT EXTENDED PAINTED BLK
24	1	17026	MAXI FUSE HOLDER, AWG 8, 60A MAX
25	1	17027	MAXI BLADE FUSE 50 AMP RED
26	1	10233	BATTERY CLAMP MINI RED 50 AMPS WAYTEK#46R
27	1	10234	BATTERY CLAMP MINI BLK 50 AMPS WAYTEK#46B
28	1	40029	COWLING TRAY 990 ASSEMBLY
29	1	51562	DIESEL FUEL SUCTION HOSE Ø2" ID X 84" LONG
30	1	17523	FITTING, PIPE NIPPLE, 1" NPT X 2" LONG, MS

Table 17 - 40 GPM Engine/Pump and 35' Hose Reel Pkg 990 US

ITEM	QTY	PART #	DESCRIPTION
1	2	11513	CLAMP T-BOLT 1.375"-1.5625" KURIYAMA TBC-SSC039
2	1	11220	DIESEL FILTER - 40 GPM-50 PSI 10 MICRON
3	1	23913	FILTER HEAD MOUNT [50 FT HOSE REEL]
4	1	25173	FILTER HEAD 1" NPT FOR F40 FILTER (700ACCF7017)
5	1	21021	DIESEL NOZZLE 1" ULTRA HI-FLOW GREEN
6	2	19322	WASHER, HELICAL SPRING LOCK 5/16 STEEL, MILD
7	1	25178	DIESEL HOSE REEL MOUNT 990
8	1	11205	DIESEL HOSE REEL 35' [COX REEL]
9	4	19127	Ø1/2"-13 UNC HEX NYLON LOCKNUT
10	8	19372	WASHER, FLAT 1/2
11	6	19310	BOLT, HEX, 5/16-18 UNC X 1 STEEL, MILD
12	8	19586	Ø5/16"-18 UNC NYLON LOCK NUT
13	12	19321	WASHER, FLAT 5/16
14	2	17222	HOSE BARB, 1" HOSE ID X 1" NPT MALE, ZINC
15	2	11521	CLAMP T-BOLT 2.375"-2.5625" KURIYAMA TBC-SS063
16	1	10552	FITTING, HOSE BARB, 2" X 2" NPT, STEEL ZINC
17	4	10411	BOLT, HEX, 1/2-13 UNC X 1.75 STEEL, MILD
18	1	40029	COWLING TRAY 990 ASSEMBLY
19	1	24686	DIESEL FUEL SUCTION HOSE Ø2" ID X 72" LONG
20	1	17516	HOSE, DIESEL, 1" ID, PUMA (PUMP TO FILTER, GAS)
21	1	32444	ENGINE/PUMP MOUNT WELDMENT 990
22	2	19699	NO. 8 - 32 X 1/2" SELF DRILLING SCREW
23	1	32441	ENGINE EXHAUST MANIFOLD WELDMENT
24	1	10624	ENGINE, POWER PRO 6.5HP, PUMP HYPRO 40 GPM
25	1	10551	ELBOW STREET 2 NPT 45 DEG FEMALE X MALE STEEL
26	1	10553	REDUCER, 2" NPT TO 1" NPT, STEEL
27	1	11532	BATTERY CABLE SET (45") (NOT SHOWN)
28	4	19580	BOLT HEX 5/16"-18 UNC X 1.75" STEEL ZINC GR. 5
29	1	17523	FITTING, PIPE NIPPLE, 1" NPT X 2" LONG, MS
30	0.16	14022	MOTOR OIL 10W-30 (GAL)

55 GAL DEF OPTION ASSEMBLY FUEL TRAILER 990




Table 18 - 55 Gal DEF Option Assembly Fuel Trailer 990

ITEM	QTY	PART #	DESCRIPTION
1	1	32097	DEF TANK ASSEMBLY, 55 GAL, PLASTIC
2	1	11502	DEF HOSE REEL 25' [COX REEL]
3	1	17014	PUMP MEMBRANE 12V DC DEF PIUSI #F0020400A
4	1	11207	NOZZLE DEF 3/4" OUT, 3/4" NPT (OPW19DEF0500)
5	1	32430	DEF NOZZLE HOLSTER ASSEMBLY
6	1	50271	HOSE REEL MOUNT - DEF
7	2	24307	TANK STRAP 990 DEF TANK
8	4	19128	Ø1/4"-20 UNC NYLON HEX NUT
9	4	19326	BOLT, HEX, 3/8-16 UNC X 1.25 STEEL, MILD
10	8	19348	WASHER, FLAT 3/8
11	4	19347	Ø3/8"-16 UNC NYLON LOCKNUT
12	1	10163	ELBOW, 90 DEG, 3/4" NPT X 3/4" HOSE BARB, POLY
13	4	10018	CLAMP T-BOLT (1-5/32" - 1-7/32") MC MASTER #5443K17
14	1	51561	HOSE DEF 3/4" ID X 10" SUCTION 990 TANK-PUMP
15	1	51560	HOSE DEF 3/4" ID X 54" SUCTION 990 PUMP-REEL

DEF TANK ADD-ON PACKAGE (55 GAL)





Table 19 - DEF Tank Add-On Package (55 Gal)

ITEM	QTY	PART #	DESCRIPTION
1	1	11542	55+ GAL DEF TANK
2	1	11213	Ø2" NPS DUAL ACTION VENT (4 PSI)
3	1	17354	PLUG 1 1/4" NPT SCH80
4	2	17352	HOSE BARB 1.5" X 1.5" NPT SCH80
5	2	24307	TANK STRAP 990 DEF TANK
6	4	19128	Ø1/4"-20 UNC NYLON HEX NUT
7	2	17380	CLAMP T-BOLT 1.875"-2.0625" KURIYAMA TBC-SS051
8	1	24292	HOSE DEF 1.5" ID BLUE (TANK TO TANK 110 GAL)
9	1	17355	DEF TANK SEAL GASKET
10	1	24293	DEF TANK SEAL PLATE
11	6	17768	1/4"-20 UNC X 3/4" SS H.H.C.S.
12	6	17767	1/4" SS FLAT ASHER

Cowling Assembly
on the next page.

This page intentionally left blank

COWLING ASSEMBLY












Table 20 - Cowling Assembly


ITEM	QTY	PART #	DESCRIPTION
1	1	32434BW	COWLING WELDMENT, 990 FUEL TRAILERS
2	1	32436BW	DS DOOR WELDMENT
3	1	32435BW	PS DOOR WELDMENT
4	4	11222	SS HINGE ASSY (1" X 12" L DRILLED)
5	1	24954	ALUM. ROCK GUARD - NOSE
6	2	24955	ALUM. ROCK GUARD - DOOR
7	2	24956	ALUM. ROCK GUARD - SIDE PANEL
8	4	11206	30LB GAS SHOCK/SPRING 15.274" EXT
9	8	19318	NUT, HEX, FLANGED, 5/16-18 UNC
10	2	11223	VECTOR T-HANDLE - BLACK HANDLE FINISH
11	2	24990	BUTTON SWITCH MOUNT
12	2	11526	BUTTON SWITCH
13	26	17023	RIVET, Ø1/8" (.126" - .187" GRIP) #30 DBS, SS
14	12	18941	MACHINE SCREW #10-32 X 1/2" PAN HEAD ROUND
15	13	17722	#10-32 UNF NYLON NUT
16	30 FT	11230	14FT - Ø3/8", 90° X 1/8" BULB SEAL
17	1	17731	WARNING DECAL
18	48	19089	RIVET Ø3/16" (.059"-.354" GRIP) CLOSED END SS
19	1	18128	HOLDER FOR MANUAL OMC-1
20	1	11218	LARGE BATTERY BOX
21	1	17065	GROMMET, Ø1 1/8" X . Ø3/4" ID
22	11	19356	BOLT, HEX, 1/2-13 UNC X2
23	11	17793	WASHER FLAT 1/2" PL, 1 3/4" OD
24	11	19127	Ø1/2"-13 UNC HEX NYLON LOCKNUT
25	1	17728	DECAL, MERIDIAN, BLACK, (4.25 X 17.25)
26	1	10284	990 FUEL TRAILER OPERATOR'S MANUAL
27	1	17659	LIGHT BAR, 6", LED, WHITE (R.O.M #R03000)
28	1	50169	SWITCH BATTERY TOP MOUNT ASSEMBLY
29	1	10288	MAGNET NEODYMIUM 1.25" DIA X 0.3" THK 80 LBS PULL
30	1	17591	#10 - SAE FLAT WASHER
31	1	10220	FLAT HEAD MACHINE SCREW, 10-32 X 1
32	8	17066	PLUG, PLASTIC, Ø1/2"
33	12	17042	CAPSCREW #6-32 X 5/8" 18-8 SS FHSS
34	12	17043	#6 WASHER X 5/16" OD 18-8 SS
35	12	17044	NUT HEX # 6-32 18-8 SS NYLON LOCKNUT
36	1	10541	GROMMET SILICONE HIGH TEMP 1" ID X 1 3/8" HOLE X 1/8" SHEET
37	1	10542	GROMMET SEALING 3 3/4" HOLE 0.05" - 0.120" SHEET
---	1	14112	WIRE HARNESS COWLING 990 US FUEL TRAILER V2 (NOT SHOWN)


UTILITY BOX ASSEMBLY, 990 BONE WHITE

See utility box parts list on pages 38.











See utility box parts list on pages 38.



DETAIL DOOR ASSEMBLY



See utility box parts list on pages 38.

Table 21 - UTILITY BOX ASSEMBLY, 990 BONE WHITE, #68725BW

ITEM	QTY	PART #	DESCRIPTION
1	4	11222	SS HINGE ASSY (1" X 12" L DRILLED)
2	2	11223	VECTOR T-HANDLE - BLACK HANDLE FINISH
3	28 FT	11230	14FT - Ø3/8", 90° X 1/8" BULB SEAL
4	4	11250	30 LB GAS SPRING ASSIST SHOCK 20.118 EXT
5	2	11526	BUTTON SWITCH
6	10	14033	Ø5/8" GROMMET
7	1	17065	GROMMET, Ø1 1/8" X . Ø3/4" ID
8	2	17411	REAR UPPER BODY MARKING - REFLECTIVE TAPE
9	22' 6"	17672	3/8"X1 1/2" CELLULAR RUBBER STRIPPING (22' 6")
10	2	17678	TAPE, REFLECTIVE, MERIDIAN R & W 2X6X6 X 24"L
11	8	17722	#10-32 UNF NYLON NUT
12	1	17728	DECAL, MERIDIAN, BLACK (4.25 X 17.25)
13	4	17922	BOLT, HEX, FLANGED, STEEL, MILD 1/4-20 UNC X 0.625
14	6 FT	18096	TAPE REFLECTIVE MERIDIAN 2X6X6
15	4	18487	WASHER, 1/2 - WIDE - TYPE A STEEL, MILD
16	8	18941	MACHINE SCREW #10-32 X 1/2" PAN HEAD ROUND
17	36	19089	RIVET Ø3/16" (.059"-.354" GRIP) CLOSED END SS
18	2	19126	NUT, HEX, FLANGED, 1/4-20 UNC
19	21	19318	NUT, HEX, FLANGED, 5/16-18 UNC
20	4	19354	BOLT, HEX, 1/2-13 UNC X1
21	4	19373	Ø1/2" LOCK WASHER
22	4	19569	BOLT, HEX, FLANGED, 3/8-16 UNC X 1
23	1	22793	TOOL CADDY, SHELF, UTILITY BOX
24	2	22889	UTILITY BOX ANGLE MOUNT
25	2	27055-00	ZIP TIE CLIP PUSH IN 23FCPM25095 FOR Ø.250" HOLE
26	1	32102BW	UTILITY BOX WELDMENT
27	1	32103BW	DOOR WELDMENT, DS, UTILITY BOX
28	1	32104BW	DOOR WELDMENT, PS, UTILITY BOX
29	1	17659	LIGHT BAR, 6", LED, WHITE (R.O.M #R03000)
30	1	50181	MULLION BOLT IN , BLACK
31	13	19317	BOLT, CARRIAGE 5/16-18 UNC X 1.25 STEEL, ZINC PLATED
32	12	17042	CAPSCREW #6-32 X 5/8" 18-8 SS FHSS
33	12	17044	NUT HEX # 6-32 18-8 SS NYLON LOCKNUT
34	12	17043	#6 WASHER X 5/16" OD 18-8 SS
35	2	12100	DECAL 990 UTILITY BOX BLACK STRIPE
36	1	14092	WIRE HARNESS REAR UTILITY BOX V2 ROWE (NOT SHOWN)

WELDER-GENERATOR-COMPRESSOR OPTION




Table 22 - Welder-Generator-Compressor Option

ITEM	QTY	PART #	DESCRIPTION
1	1	17409	GENERATOR/WELDER/COMPRESSOR COMBO
2	1	21286-00	SP-30 BATTERY
3	1	11219	BATTERY BOX - SMALL
4	1	34510	TWIN 8 GALLON AIR TANK ASSEMBLY
5	4	17644	3/8"-16 X 3/4" THK VIBRATION-DAMPING MOUNT
6	16	19348	WASHER, FLAT 3/8
7	1	17545	1/2 NPT X 3/8 NPT 90° ELBOW
8	16	19347	Ø3/8"-16 UNC NYLON LOCKNUT
9	1	17682	HOSE 0.42" I.D. STEEL BRAIDED 3/8" NPT - 30"
10	4	19597	Ø1/4"-14 X 3/4" HEX WASHER HEAD SELF DRILLING SCREW
11	1	17166	ELECTRODE & WORK CABLE ASSM 10' (K2394-1)
12	1	18657	CABLE BATTERY SET 45 IN

GENERATOR-COMPRESSOR OPTION




Table 23 - Generator-Compressor Option

ITEM	QTY	PART #	DESCRIPTION
1	1	21286-00	SP-30 BATTERY
2	1	11219	BATTERY BOX - SMALL
3	1	34510	TWIN 8 GALLON AIR TANK ASSEMBLY
4	4	17644	3/8"-16 X 3/4" THK VIBRATION-DAMPING MOUNT
5	16	19348	WASHER, FLAT 3/8
6	1	17545	1/2 NPT X 3/8 NPT 90° ELBOW
7	16	19347	Ø3/8"-16 UNC NYLON LOCKNUT
8	1	17682	HOSE 0.42" I.D. STEEL BRAIDED 3/8" NPT - 30"
9	4	19597	Ø1/4"-14 X 3/4" HEX WASHER HEAD SELF DRILLING SCREW
10	1	17505	AIR COMPRESSOR/GENERATOR COMBO (AG2-SH13-B)
11	1	18657	CABLE BATTERY SET 45 IN

AIR AND ELECTRICAL DUAL REEL KIT OPTION




Table 24 - Air and Electrical Dual Reel Kit Option

ITEM	QTY	PART #	DESCRIPTION
1	1	25178	DIESEL REEL MOUNT
2	1	11075	DUAL REEL (AIR/ELECTRICAL) C-L350-5012-F-WM
3	8	19595	NUT, HEX, FLANGED, 1/2-13 UNC
4	4	18943	BOLT, HEX, FLANGED, STEEL, MILD 1/2-13 UNC X 1.25
5	1	32446	3-IN-1 AIR HOSE ASSEMBLY
6	4	19575	BOLT, HEX, FLANGED, 1/2-13 UNC X 1.5
7	2	21483	HOSE REEL STIFFENER 990 TC
8	1	10048	SLEEVE-LOCK, 3/8 FEMALE NPT, 1/4 COUPLING

SPARE TIRE KIT (STEEL)




Table 25 - Spare Tire Kit (Steel)

ITEM	QTY	PART #	DESCRIPTION
1	1	18131	ST235/80R16-E TIRE, STEEL RIM ASSEMBLY
2	1	24109	BOLT ON SPARE TIRE MOUNT
3	4	19564	NUT, HEX, FLANGED, 3/8-16 UNC
4	4	19330	BOLT, HEX, 3/8-16 UNC X 3 STEEL, MILD
5	3	18991	Ø9/16-18 UNF X 3/4" LUG NUT
6	3	18992	Ø9/16"-18 UNF X 2" H.H.C.S.

Note:

The same Spare Tire Kit is used on the 990 Basic and 990 Max.

SPARE TIRE KIT (ALUMINUM)




Table 26 - Spare Tire Kit (Aluminum)

ITEM	QTY	PART #	DESCRIPTION
1	1	17756	ST235/80R16-E TIRE, ALUMINUM RIM ASSEMBLY
2	1	24109	BOLT ON SPARE TIRE MOUNT
3	4	19564	NUT, HEX, FLANGED, 3/8-16 UNC
4	4	19330	BOLT, HEX, 3/8-16 UNC X 3 STEEL, MILD
5	3	18991	Ø9/16-18 UNF X 3/4" LUG NUT
6	3	18992	Ø9/16"-18 UNF X 2" H.H.C.S.

SPARE TIRE KIT (STEEL), POST MOUNT

Note:

Post Mount is used when the Utility Box is present.




Table 27 - Spare Tire Kit 990TC (Steel), Post Mount

ITEM	QTY	PART #	DESCRIPTION
1	1	34517	POST MOUNT WELDMENT, SPARE TIRE 990TC
2	4	18473	WASHER, 3/8 - WIDE - TYPE A STEEL, MILD
3	2	19347	Ø3/8"-16 UNC NYLON LOCKNUT
4	2	14090	BOLT, HEX, 3/8-16 UNC X 5 STEEL, MILD
5	1	18131	ST235/80R16-E TIRE, STEEL RIM ASSEMBLY
6	2	18355	3/8" REGULAR HELICAL SPRING LOCK WASHERS(INCH SERIES)
7	3	19127	Ø1/2"-13 UNC HEX NYLON LOCKNUT
8	3	18486	1/2" REGULAR HELICAL SPRING LOCK WASHERS(INCH SERIES)
9	3	18487	WASHER, 1/2 - WIDE - TYPE A STEEL, MILD
10	1	14413	2 X 2 X 0.188 TUBE PLUG

SPARE TIRE KIT (ALUMINUM), POST MOUNT

Note:

Post Mount is used when the Utility Box is present.




Table 28 - Spare Tire Kit 990TC, Aluminum, Post Mount

ITEM	QTY	PART #	DESCRIPTION
1	1	34517	POST MOUNT WELDMENT, SPARE TIRE 990TC
2	4	18473	WASHER, 3/8" - WIDE - TYPE A STEEL, MILD
3	2	19347	Ø3/8"-16 UNC NYLON LOCKNUT
4	2	14090	BOLT, HEX, 3/8-16 UNC X 5 STEEL, MILD
5	2	18355	3/8" REGULAR HELICAL SPRING LOCK WASHERS (INCH SERIES)
6	3	19127	Ø1/2"-13 UNC HEX NYLON LOCKNUT
7	3	18486	1/2" REGULAR HELICAL SPRING LOCK WASHERS (INCH SERIES)
8	3	18487	WASHER, 1/2" - WIDE - TYPE A STEEL, MILD
9	1	14413	2 X 2 X 0.188 TUBE PLUG
10	1	16398	WHEEL ASSY. ALUMINUM BLACK 16" 8 LUG ST235/80R16-E TIRE
11	4 IN	17672	3/8"X1 1/2" CELLULAR RUBBER STRIPPING (4 IN)

LIMITED MATERIALS AND WORKMANSHIP WARRANTY

for Fuel Trailers

Meridian Manufacturing Inc. (hereinafter referred to as the Manufacturer) hereby warrants the Fuel Trailer(s) sold by it to be free from any defect in material or workmanship under normal use and service for a period of one (1) year from the date of shipment. The Manufacturer's obligation under this warranty shall be limited to the repair or replacement only, FOB the original point of shipment, of any defective parts or portions of the fuel trailer or accessories manufactured by Meridian. Any warranty claim must be reported to the Manufacturer within one (1) year from the date of shipment.

THIS WARRANTY IS SUBJECT TO THE FOLLOWING LIMITATIONS, PROVISIONS AND CONDITIONS:

1. This warranty does not apply:
 - a. To any product sold by the Manufacturer where it is used in areas exposed to corrosive or aggressive conditions including salt water, acids, alkaloid, ash, cement dust, animal waste or other corrosive chemicals from either inside or outside the bin.
 - b. For failures or defects arising out of damage during shipment or during storage on site.
 - c. To materials replaced or repaired under this warranty except to the extent of the remainder of the applicable warranty.
 - d. To damage resulting from misuse, negligence, accident or improper site preparation by others.
 - e. If the product has been altered or modified by others.
 - f. If in the case of coating failures the failure is the result of damage, lack of proper maintenance or failure to remove road salt or other contaminants that may have come in contact with the bin surface.
 - g. To loss of time, inconvenience, loss of material, down time or any other consequential damage.
 - h. For a function that is different than original designed intent.
2. The obligation of the Manufacturer under this warranty shall not arise unless the Manufacturer is notified and this warranty is presented together with a written statement specifying the claim or defect within thirty (30) days after the failure is first detected or made known to the owner and within one (1) year from the shipment date. The Manufacturer in its sole discretion shall determine if the claim is valid and whether correction of the defect or failure shall be made by repair or replacement of the materials.
3. The coating warranty is based on the manufacturer's performance specification for Polyester Powder finishes and does not include repair of minor blemishes or rusting that is normally part of the general maintenance of the fuel trailer. This warranty does not cover excessive wear on interior coatings. See attachment for full Performance Specification details on Polyester Powder Finishes.
4. The obligation of the Manufacturer hereunder extends only to the original owner and to the Meridian dealer to whom the materials may have been initially sold. This warranty shall not be subject to any assignment or transfer without the written consent of the Manufacturer.
5. The customer shall acknowledge that it has made its own independent decision to approve the use of the supplied materials and also the specific fabrication and construction procedures utilized to complete the fuel trailer, and has satisfied itself as to the suitability of these products for this particular application.
6. The foregoing sets forth the only warranties applicable to said materials and said warranties are given expressly and in lieu of all other warranties, expressed or implied, statutory or otherwise, of merchantability or fitness for a particular purpose and all warranties which exceed or differ from said warranties herein are disclaimed by the Manufacturer.
7. The owners sole and exclusive remedy against the Manufacturer shall be limited to the applicable warranty set forth herein and the endorsements, if any, issued together with this document and no other remedy (including but not limited to the recovery of assembly or disassembly costs, shipping costs, direct, incidental, special, indirect or consequential damages for lost profits, lost sales, injury to person or property or any other loss, whether arising from breach of contract, breach of warranty, tort, including negligence, strict liability or otherwise) shall be available to the owner or Meridian Dealer or any other person or entities whether by direct action or for contribution or indemnity or otherwise.
8. The financial obligation of the Manufacturer under this warranty shall be limited to the repair or replacement of the product as originally supplied and in no event shall exceed the original cost of the product supplied.
9. The Manufacturer shall not have any obligation under any warranty herein until all accounts for materials, installation and erection of the said product thereof and for labor and other work performed by the Manufacturer or its dealers have been paid in full by the owner.

WARRANTY REQUEST PROCEDURE

- Registering product with Meridian Manufacturing.
- Contact the dealer unit was purchased from upon discovery of any defects.
- A completed warranty claim form submitted by dealer to Meridian warranty representative for review and course of action.
- Warranty repair work will only be performed by Meridian, the dealer or an approved representative. No warranty work completed prior to approval. Failure to follow procedure may affect any or all reimbursement.
- Claims will be adjudicated at the sole discretion of the manufacturer and in accordance with the terms and conditions of the applicable limited warranty.
- A complete list of warranty procedures can be procured from the Warranty Department or found in your operator's manual.



(800) 437-2334 | www.meridianmfg.com