



**FUEL TANKS** 

# PEOPLE.

The driving force at Meridian Manufacturing is the committed ingenuity of employees and dealers, as well as relationships built with our valued customers. Our team takes pride in the work we do and are committed to delivering innovative and reliable storage and handling products.





## **PRODUCTS**

For Meridian Manufacturing, integrity means setting standards in product and service excellence. As a proven industry leader, our commitment to product innovation and customer support is our greatest pursuit.





# **PERFORMANCE**

Our people and products deliver quality performance for you and your operation. We believe that when you are successful, so are we.

## ENVIRONMENTALLY PROTECTED FUEL STORAGE

## POWDER COATED. DOUBLE WALLED. BUILT TO YOUR NEEDS.

Whether you have small or large fuel storage needs, Meridian offers a wide range of above-ground tanks that are engineered to meet your demanding requirements. Meridian fuel tanks exceed the needs of many industries providing sensible, smart and robust solutions for storing petroleum products on farm, at bulk fuel plants, fleet re-fueling facilities, and many other applications. Meridian uses proven engineered steel design and certified fabrication in quality controlled shop facilities to provide dependable, secure, built to the highest standards storage tanks.

All of Meridian's steel is from recycled and once the tank life cycle ends can be recycled.



**MERIDIAN'S PRE-ENGINEERED PREMIUM POWDER COAT FINISH** (MPS-1000) has a Salt Spray Rating of more than 2,000 hours, 3-4x more than wet paint standards. The superior adhesion and smooth, long-lasting finish of polyester coating ensures that Meridian Fuel Tanks will be incredibly durable and will stand the test of time. Meridian's exterior finish is backed by our 2 Year Paint Warranty.





Meridian tanks are ideal for a variety of fuel commodities. Our double wall secondary containment tanks prevent costly leaks and provide environmentally friendly safe storage. Meridian's exclusive powder coat outperforms standard paints with superior corrosion resistance, durable weather protection and a clean look for decades of trouble free service.

Meridian has a great selection of double wall fuel tanks to meet your bulk storage needs. These larger fuel tanks save you money by allowing you to buy larger volumes of fuel strategically throughout the year and minimize price volatility.

## STANDARD FUEL TANKS





Larger capacity Horizontal Tanks and Single Wall Tanks available upon request

Vertical Single & Double Wall Tanks available upon request

MODEL	VOLUME		DIAMETER		LENGTH (TANK ONLY)		LENGTH (WITH SKID)		WEIGHT WITH SKID	
	LITERS	IMP. GAL	СМ	INCHES	СМ	INCHES	СМ	INCHES	KG	LBS
MDW-2300	2,310	508	130	51	196	77	226	89	601	1,326
MDW-4595	3,241/1,351	713/297	130	51	376	148	406	160	978	2,157
MDW-4600	4,607	1,013	130	51	376	148	406	160	928	2046
MDW-10000	9,972	2,194	163	64	536	211	572	225	2,021	4,455
MDW-15000	14,900	3,278	229	90	379	149	592	233	4,190	9,250
MDW-25000	24,890	5,475	229	90	630	248	843	332	5,373	11,860
MDW-35000	38,846	7,665	229	90	894	352	1,107	436	7,860	17,350
MDW-50000	50,015	11,002	302	119	711	280	958	377	9,422	20,800
MDW-65000	65,100	14,298	302	119	924	364	1,173	432	12,203	26,904
MDW-75000	75,800	16,674	302	119	1077	424	1,326	522	13,594	29,970

#### **STANDARD FEATURES:**

- CAN- ULC-S601-14 Approved
- National-Provincial Fire Code Compliant
- 100% Secondary Containment
- Emergency Vents
- Spare Openings for future use
- Ladder & platform combo
- Tank side dip stick holder & dipstick
- Powder coat finish

#### **OPTIONS**

- High Volume Pump & Meter Packages Fill Rite or FE Petro
- Hose Retractors OPW
- Meco Audible Overfill Alarms
- Split Tank Options: 50/50, 60/40, 70/30
- Bolt-on Structural skids:

Optional fork lift pockets & bollards Extended skids


- 3" Bottom Tank Fill System:
  - Front side mount systems
  - Rear mount systems
  - Dual systems for split compartment tanks
- Gauges Leak & Sight Level
- Various hose / auto nozzle size options
- Stairs and catwalks





Meridian's 15,000L, 25,000L & 35,000L skidded Econo Tanks are the ideal storage for the producer looking to increase their on-farm fuel storage and to take advantage of refinery-direct deliveries & savings. Meridian Econo tanks feature a rugged V-skid, double wall construction and are equipped with highly functional standard features for the mid sized farm operation. Choose from smart value options that are similar to more expensive, larger volume commercial storage tanks.

### **ECONO FUEL TANKS**



MODEL	VOLUME		DIAMETER		LENGTH		WEIGHT	
	LITERS	IMP. GAL	CM	INCHES	СМ	INCHES	KG	LBS
EDW-15000	14,900	3,278	229	90	379	149	3,197	7,049
EDW-25000	24,890	5,475	229	90	630	248	4,244	9,357
EDW-35000	35,051	7710	229	90	894	352	5,445	12,003

<sup>\*</sup>The criteria used in designing the Econo Tank Top Mount Pump Package was to reduce the distance of fuel lift out of tank to maximize pump life, avoid the frustration of vapour lock and achieve maximum GPM at the nozzle.

#### **STANDARD FEATURES:**

CAN- ULC-S601-14 Approved | National-Provincial Fire Code Compliant

100% Secondary Containment

**Emergency Vents** 

Spare Openings for future use

Ladder & platform combo

Tank side dip stick holder & dipstick

Convenient & quickly accessible, mid tank head, emergency shut off

Steel piping from top mount pump to the center of the tank head Rugged V-skid

Powder coat finish

### **OPTIONS**

- 35 GPM High Volume Top Mount Pump Package\*
- Hose Retractor OPW
- MECO Overfill Audible Alarm

- Front Side Mount Bottom Fill System c/w 3" Camlock
- Anti-Siphon Device Fill Rite 700AS
- Nozzle Drip Pot
- 1" x 20' Arctic Hose c/w 1" High Flow Auto Nozzle
- Gauges Leak & Sight Level
- Meter Fill Rite FR901
- 1" CIM TEC Diesel Filter





Meridian is proud to add Used Oil Tanks to our Fuel Tank Lineup. These double wall tanks are built to our high standards and are a safe, environmentally friendly and convenient way to store a variety of used oils such as motor oil, transmission oil, crankcase oil and hydraulic fluid.

### **USED OIL TANKS**





MODEL	VOLUME		DIAMETER		LENGTH		HEIGHT	
	LITERS	IMP. GAL	CM	INCHES	СМ	INCHES	СМ	INCHES
MMIUO-1350	1350	357	98	38	185	73	122	49
MMIUO-2300	2310	508	130	51	185	73	173	68
MMIUO-4600	4607	1013	130	51	376	148	173	68

### **STANDARD FEATURES:**

- CAN- ULC-S652:2016 Approved
- National-Provincial Fire Code Compliant
- 100% Secondary Containment
- Emergency Vents
- Spare Openings

- Lockable Spill Container c/w:
  Mesh screen to drain oil filters / cans
  Suction pipe c/w 2" Cam Lock
- Lifting Lug
- Side Mounted Dipstick holder & dipstick
- Powder coat exterior

### **OPTIONS:**

- Tank Level Site Gauge
- Leak Detection Gauge
- Vent Pipe & Cap (2" x 78")
- Auxillary Tank Step
- Stair / platform package
- Skid Bases

#### **PUMP & HOSE OPTIONS**



FILL RITE 700V Package





FILL RITE 310VN Package



FILL RITE 311VL Package



FILL RITE 319VL Package

115V AC / 1/3 HP 76 LPM / 20 GPM No meter Filter 20' of 34" Arctic Hose Automatic Nozzle Recommended For: 2300L - 4600L

115V AC / 1/3 HP 76 LPM / 20 GPM FR 807-L meter Filter 20' of 34" Arctic Hose Automatic Nozzle Recommended For: 2300L - 4600L

115/230V AC / 3/4 HP 132 LPM / 35 GPM FR 901-L meter Filter 20' of 1" Arctic Hose Automatic Nozzle Recommended For: Econo Tanks 15.000-35.000L

115/230V AC / 3/4 HP 132 LPM / 35 GPM FR 901-L meter Filter 20' of 1" Arctic Hose Automatic Nozzle Recommended For: 4600L - 10.000L

115/230V AC / 3/4 HP 132 LPM / 35 GPM FR 900-L Digital Meter 20' of 1" Arctic Hose 1" High Flow Nozzle 2 yr Warranty Recommended For: 4600L - 10,000L

\*All Fill Rite Pumps have a 30 minute duty load, not recommended for fleet usage

\*GPM/LPM pump volume reflects the manufacturers specifications. Flow rates can be lower due to meter, filter & hose length.



#### FE Petro Package STP33-VL2-0

220V AC / 1/3 HP 152 LPM / 40 GPM FR 901-L meter Micron particulate filter Manual shut off ball valve Audible overfill alarm (not included on pkg. pt#70067) Vent pipe c/w pressure vacuum vent Recommended For:

15.000L-75.000L for gas Hose & Nozzle Options Available: 34" x 20' Arctic Fuel Hose 1" x 20' Arctic Fuel Hose 1 1/4" x 20' Arctic Fuel Hose No second hose option

#### FE Petro Package STP33-VL2-0

220V AC / 3/4 HP 152 LPM / 40 GPM FR 901-L meter Micron particulate filter Manual shut off ball valve Audible overfill alarm Vent pipe c/w pressure vacuum vent

15.000L - 75.000L Hose & Nozzle Options Available: 3/4" x 20' Arctic Fuel Hose

1" x 20' Arctic Fuel Hose 1 1/4" x 20' Arctic Fuel Hose 34" Second Hose Option - Antisiphon Line

Recommended For:

#### FE Petro Package STP33-VL2-0

220V AC / 1 1/2 HP 227 LPM / 60 GPM FR 901-L meter Micron particulate filter Manual shut off ball valve Audible overfill alarm Vent pipe c/w pressure vacuum vent cap Recommended For: 50,000L - 75,000L Hose & Nozzle Options Available: 34" x 20' Arctic Fuel Hose

1" x 20' Arctic Fuel Hose 1 1/4" x 20' Arctic Fuel Hose 34" Second Hose Option - Anti-siphon Line

\*FE Petro Packages designed for extended duty load

\*GPM/LPM pump volume reflects the manufacturers specifications. Flow rates can be lower due to meter, filter & hose length.

## **OPTIONS**

#### PLATFORMS & LADDERS






















Other options available. Please contact your local Meridian dealer or fueltanks@meridianmfg.com to learn more.



meridianmfg.com | fueltanks@meridianmfg.com | (800) 661-1436