MERIDIAN FUEL TANKS



Capacity. Efficiency. Safety.

Refuel at your convenience and reduce downtime with Meridian double wall and single wall Fuel Tanks.







Meridian has set the standard in excellence for storage and handling for decades. Meridian has continuously incorporated the latest technological innovations to meet our customers' ever-changing needs. Meticulous attention to quality and detail reflect the attitude of an enthusiastic and skilled production team, lending confidence to each Meridian customer of a superior and dependable product. Meridian's best references are the thousands of farmers and commercial customers who have experienced the quality and value of the Meridian family of products.

Meridian's UL approved fuel tanks feature the same design, strength and quality standards that all Meridian products have become known for. These single or double walled steel 100% containment tanks provide environmentally safe storage, prevent costly leaks and are ideal for a variety of fuel types.

Meridian prides itself in providing the most economical and efficient fuel tanks to suit your specific needs. Our fuel tanks are available in numerous sizes and can be ordered complete with state of the art dispensing equipment. Our fuel tanks meet and exceed safety and environmental standards, making them the preferred choice in the industry.

Meridian's fuel tanks provide customers with premier storage solutions and customer service that is unsurpassed in the industry. Meridian has a large dealer network and a professional sales team available to help you pick the right fuel tank for your operation.





VERTICAL SINGLE WALL

VERTICAL DOUBLE WALL



EFFICIENT AND ECONOMICAL.

Meridian prides itself in providing the most economical and efficient single wall fuel tanks to suit your specific needs. Our vertical fuel tanks are available in numerous sizes and can be ordered complete with state of the art dispensing equipment.

GREAT FEATURES. GREAT QUALITY.

- ▶ UL-142 TANKS BEAR THE UL LABEL
- ► HEAVY GAUGE STEEL CONSTRUCTION
- ► LIFTING LUGS
- ► PUMP AND ACCESSORY PERCHES
- ► PREMIUM POWDER-COAT FINISH
- ► EMERGENCY VENTS
- ► 24" MAN-WAY
- ► ALL TANKS COME WITH A TANK LEVEL CHART

PUMPS METERS & DISPENSING EQUIPMENT

- 35 GPM (Diesel ONLY)
- 20 GPM (Gas or Diesel)
- Meter (4-digit mechanical meter gallons)
- Factory Installed

ACCESSORIES/OPTIONS

- Remote Fill System
- Anti-Syphon
- Overfill Protection
- OPW Tank Level Gauge
- Turn Key Systems Available
- UL Approved side wall entry man-way
- 3" Bottom Fill Fitting

SPECIFICATIONS (approx.)

Volume (gal)	Diameter	Eve Height	Weight (Lb.)
4,000	8'	12'	3,550
5,000	8'	15'	4,150
8,500	12'	11'	5,600
10,000	12'	13'	6,200
12,000	12'	15'	6,800
15,000	12'	19'	7,900
20,000	13' - 6"	20'	9,600
25,000	13' - 6"	25'	11,200
30,000	13' - 6"	30'	12,800

IDEAL STORAGE.

Meridian's UL double wall - 100% containment fuel storage solutions offer excellence in storage versatility. Unlike single wall tanks, this double wall containment system features an "all openings on top design" which eliminates the need for a containment dike. These 4,000 - 20,000 gallon tanks are built with heavy gauge steel construction.

Quality and Workmanship - Meridian is committed to the best double wall fuel tank service and warranty in the industry with a 1 year limited paint warranty.

GREAT FEATURES, GREAT QUALITY.

- ► UL-142 TANKS BEAR THE UL LABEL
- ► SECONDARY CONTAINMENT
- ► LIFTING LUGS
- ► PUMP AND ACCESSORY PERCHES
- ► PREMIUM POWDER-COAT FINISH
- ► ADDITIONAL SPARE FITTINGS
- ► EMERGENCY VENTS
- ► 24" MAN-WAY
- ► INTERSTITIAL SPACE SIGHT GLASS
- ► ALL TANKS COME WITH A TANK LEVEL CHART

PUMPS METERS & DISPENSING EQUIPMENT

- 35 GPM (Diesel ONLY)
- 20 GPM (Gas or Diesel)
- Meter (4-digit mechanical meter gallons)
- Factory Installed

ACCESSORIES/OPTIONS

- Remote Fill System
- Anti-Syphon
- Overfill Protection
- OPW Tank Level Gauge
- Turn Key Systems Available
- 35' Hose Reels

SPECIFICATIONS (approx.)

SPECIFICATIONS (approx.)				
Volume (gal)	Diameter	Height	Weight (Lb.)	
4,000	8'	12'	6,400	
5,000	8'	15'	7,600	
8,500	12'	11'	10,100	
10,000	12'	13'	11,250	
12,000	12'	15'	12,400	
15,000	13' - 6"	15'	14,500	
20,000	13' - 6"	20'	17,750	

HORIZONTAL DOUBLE WALL



SUPERIOR STRENGTH.

Meridian's UL approved fuel tanks feature the same design, strength and quality standards you have come to expect from all Meridian built products. Meridian's heavy steel components are engineered for dependable durability and maintenance free storage. The double wall tanks are finished in an all-weather premium powder-coat finish. Meridian is supported by an unsurpassed service team and a strong dealer network throughout the United States.

GREAT FEATURES, GREAT QUALITY.

- ► UL-142 TANKS BEAR THE UL LABEL
- ► SECONDARY CONTAINMENT
- ▶ DIP STICK FOR TANK LEVEL INSPECTION
- ► PREMIUM POWDER-COAT FINISH (SOME MODELS)
- ► ADDITIONAL SPARE FITTINGS
- ► TANK SADDLES
- ► VENTED FILL CAP (500 2,000)
- ► INTERSTITIAL SPACE SIGHT GLASS
- ► LADDER & PLATFORM (4000-15000 TANK SIZES)
- ▶ 3" TOP FILL SYSTEM WITH SPILL BUCKET & BOLT IN MANWAY (4000-15000 TANK SIZES)





PUMPS METERS & DISPENSING EQUIPMENT

- 20 GPM (Gas or Diesel) for skid tanks
- Accessories included 1" X 18' hose, ultra high flow nozzle & meter for use on 5-4,000 gallon tanks.
- 35 GPM (Diesel ONLY) for skid tanks
- Accessories included 1" X 18' hose, ultra high flow nozzle & meter for use on 4K & 5K gallon tanks.
- Factory Installed plumbing systems

ACCESSORIES/OPTIONS

- Emergency Vents
- Vent Alarm
- 35' Hose Reel
- Roll Off Style Skid Base
- Turn Key Systems Available



SPECIFICATIONS (approx.)

Volume (gal)	Diameter	Length	Weight (Lb.)
500	4'	6' - 5"	1,000
1,000	5' - 5"	6' - 5"	1,850
2,000	5' - 5"	12' - 6"	3,500
4,000	6' - 4"	20' - 4"	6,250
4,000 split 75/25	6' - 4"	22' - 2"	7,150
5,000	6' - 4"	24' - 4"	7,200
5,000 split 80/20	6' - 4"	26' - 2"	8,050
8,500	10'	17' - 5"	12,750
10,000	10'	20' - 5"	14,300
12,000	10'	24' - 5"	16,350
15,000	10'	29' - 5"	18,950

VERTICAL TANK PACKAGE OPTIONS

- ► Two fill system package options:
 - 2" fill system without overfill protection valve and 10gal FS box
 - 3" fill system with overfill protection valve and 10gal FS box
- ► Two dispensing package options:
 - 35-40 GPM 3/4Hp submersible pump with 18' hose
 - 30-35 GPM FR313 suction pump with 18' hose
- ► OPW tank level gauge with tank chart
- ► Two updraft vent options:
 - 3" updraft vent with 24" elevation pipe
 - 3" pressure vac vent alarm with 24" elevation pipe
- ▶ 1" x 35' hose reel upgrade with mounting bracket
- ► Flameshield upgrade STI+SPFA







HORIZONTAL TANK PACKAGE OPTIONS





- ► Fill system package option:
 - 3" ground level fill system
- ► Two dispensing options:
 - 35 GPM with meter
 - 20 GPM with meter
- ► Tank level gauge options:
 - Kruger Sentry
 - OPW
- ► Venting options:
 - Updraft vent with 24" elevation pipe
 - Pressure vac vent alarm with 24" elevation pipe
- ► 1" x 35' hose reel upgrade with mounting bracket
- ► Roll off style heavy duty skid base
- ► Flameshield upgrade STI+SPFA



BULK STORAGE CONTAINMENT BASIN



ENVIRONMENTAL STEWARDSHIP.

Offering containment solutions - multi size, universal, easy to use options for existing single wall tanks for on farm or industry use.

GREAT FEATURES. GREAT QUALITY.

- ▶ PREMIUM POWDER-COAT FINISH
- ► SECONDARY CONTAINMENT
- ► HEAVY GAUGE STEEL CONSTRUCTION
- **▶ LIFTING LUGS**
- ► 110% CONTAINMENT FOR LISTED VOLUME
- ► COMPLIANT WITH SPCC REQUIREMENTS FOR SECONDARY CONTAINMENT
- ► UNIVERSAL AND EASY TO USE WITH EXISTING **TANKS**
- ► BASIN DRAINS

SPECIFICATIONS (approx.)

or Lon Toarions (approx.)			
Volume (gal)	Size	Weight (Lb.)	
500	71"w x 22"t x 8'-6"l	750	
1,000	90"w x 39"t x 9'-6"l	1,200	
2,000	90"w x 39"t x 15'-4"l	1,600	

QUICK FACTS

Features and benefits of all fuel tanks:

- Meets environmental compliance regulations
- Built to UL 142 standards
- Can reduce farm insurance cost
- Cost savings by taking larger volumes of fuel
- Return on investment can be as quick as 2 years
- Larger capacity insures fuel when you need it the most
- Ground level filling
- High volume pumps & meters
- Quick & efficient refueling turn around times
- Hose retractor and hose reel option eliminates tangled and damaged hoses
- Tank level site gauges allow you at a glance to know your tank level
- Single or split tanks (some models)
- Split tanks allow for storage of 2 different fuels
- Long lasting powder coat paint finish (most models)
- Wide selection of tank sizes to fit anyone's needs

Frequently Asked Questions:

Q: What size of tanks do you offer?	A: Ranges from 500 - 30,000 gallons.	
Q: Are you tanks certified?	A: Yes, we build tanks to UL 142 standards.	
Q: Do you build SW & DW tanks?	A: We do, however we recommend DW tanks.	
Q: Why double wall tanks?	A: They meet environmental compliance regulations	
Q: What size pumps do you offer?	A: They range from 20 GPM - 40 GPM	
Q: How do you fill them?	A: Your best choice would be our ground level bottom fill system.	
Q: What do you use for paint?	A: Most of our tanks have a baked on powder-coat finish	
Q: Where can I buy a tank?	A: We have a large dealer network and likely one near you	
Q: What do they cost?	A: Depends on the size and options, but we can get you a quote with an exact price	

Meridian is committed to manufacturing the highest quality products - with a full range of storage and handling solutions designed for any size operation. Our vast network of dealers and customers across North America are ready to share with you their Meridian experience and how our family of products help to save time and money. The Meridian team of 1,000-plus trained and dedicated employees delivers a superior product and is constantly looking at ways of improving our product lineup so we can better serve our customers.









Real Life Stories from Real People

Making relationships as real as the people we serve.

World Class Quality. Locally Made Relationships.



